II XPRS

API Documentation Version 1.3.2

Creating a New User Suspending a User Unsuspending a User Creating a New License Revoking an Existing License Publish Existing Website

Creating a New User

- URL: /api/create_user
- Method: GET
- Parameters:
 - label: The white-label name
 - api_token: The white-label's API token (as generated in the dashboard)
 - nickname: The new user's nickname (pattern will not be validated)
 - email: The new user's email address (pattern will not be validated)
 - password: The new user's password (pattern will not be validated)
 - phone (optional): The new user's phone (pattern will not be validated)
 - send_email (optional): Set to true in order to send the label's registration mail to the user otherwise omit the parameter
- Result (JSON):
 - STATUS:
 - "SUCCESS" The user was created successfully
 - "ERROR" The user was not created due to an error
 - MSG:
 - The email <email> is taken
 - The nickname <nickname> is taken
 - Label's API token is missing or does not match (Go to 'whitelabel dashboard' and generate api token)
 - Label parameter is missing or label does not exists
- Example URL: http://xprs.imcreator.com/api/create_user?label=mylabel&api_token=XPRS-1a3de3c14b4f63d&nickname=myfirstuser&email=myemail@email.com&password=123456

Suspending a User

- URL: /api/suspend_user
- Method: GET
- Parameters:
 - label: The white-label name
 - api_token: The white-label's API token (as generated in the dashboard)
 - nickname: The nickname of the user to suspend
 - Result (JSON):
 - STATUS:
 - "SUCCESS" The user was suspended successfully
 - "ERROR" The user was not suspended due to an error
 - MSG:
 - The user <nickname> is already suspended
 - The nickname <nickname> is not registered in our system
 - Label's API token is missing or does not match (Go to 'whitelabel dashboard' and generate api token)
 - Label parameter is missing or label does not exists
- Example URL:

http://xprs.imcreator.com/api/suspend_user?label=home&api_token=XPRS-1a3de3c14b4f63d&nickname=myfirstuser

Unsuspending a User

• URL: /api/unsuspend_user

- Method: GET
- Parameters:
 - label: The white-label name
 - api_token: The white-label's API token (as generated in the dashboard)
 - nickname: The nickname of the user to suspend
- Result (JSON):
 - STATUS:
 - "SUCCESS" The user was unsuspended successfully
 - "ERROR" The user was not unsuspended due to an error
 - MSG:
 - The nickname <nickname> is not registered in our system
 - Label's API token is missing or does not match (Go to 'whitelabel dashboard' and generate api token)
 - Label parameter is missing or label does not exists
- Example URL:

```
http://xprs.imcreator.com/api/unsuspend_user?label=home&api_token=XPRS-
1a3de3c14b4f63d&nickname=myfirstuser
```

Creating a New License

- URL: /api/create_license
- Method: GET
- Parameters:
 - label: The white-label name
 - api_token: The white-label's API token (as generated in the dashboard)
 - nickname: The owner of the license nickname
 - vbid: The ID of the site to hold the license
 - offer_name: The name of the license (i.e. 'Annual license')
 - offer_id (optional): If exists, the offer ID in your billing system
 - subscription_id (optional): If exists, the specific subscription ID in your billing system
 - domain (optional): An existing domain for the license (pattern will not be validated and the service will allow to connect duplicated domain names)
 - connect_domain (optional): Set to true in order to add the domain to our routing server otherwise omit the parameter
- Result (JSON):
 - STATUS:
 - "SUCCESS" The license was created successfully
 - "ERROR" The license was not created due to an error
 - MSG:
 - The nickname <nickname> is not registered in our system
 - Label's API token is missing or does not match (Go to 'whitelabel dashboard' and generate api token)
 - Label parameter is missing or label does not exists
- Example URL: http://xprs.imcreator.com/api/create_license?label=home&api_token=XPRS-1a3de3c14b4f63d&nickname=myfirstuser&vbid=vbid-16abf-ts3utjvt

Revoking an Existing License

- URL: /api/revoke_license
- Method: GET
- Parameters:
 - label: The white-label name
 - api_token: The white-label's API token (as generated in the dashboard)
 - nickname: The owner of the license nickname
 - vbid: The ID of the site that holds the license
- Result (JSON):
 - STATUS:
 - "SUCCESS" The license was revoked successfully
 - "ERROR" The license was not revoked due to an error
 - MSG:
 - License was not found
 - Label's API token is missing or does not match (Go to 'whitelabel dashboard' and generate api token)
 - Label parameter is missing or label does not exists
- Example URL:

http://xprs.imcreator.com/api/revoke_license?label=home&api_token=XPRS-1a3de3c14b4f63d&nickname=myfirstuser&vbid=vbid-16abf-ts3utjvt

Publish Existing Website

- URL: /api/publish_site
- Method: GET
- Parameters:
 - label: The white-label name
 - api_token: The white-label's API token (as generated in the dashboard)
 - vbid: The ID of the site to publish
- Result (JSON):
 - STATUS:
 - "SUCCESS" The license was revoked successfully
 - "ERROR" The license was not revoked due to an error
 - MSG:
 - the free address of the published site (if success)
 - No such site
 - Label's API token is missing or does not match (Go to 'whitelabel dashboard' and generate api token)

```
    Example URL:
http://xprs.imcreator.com/api/publish_site?label=home&api_token=XPRS-
1a3de3c14b4f63d&vbid=vbid-445febd6-lavvbh9q
```